

All materials are carefully selected and field-tested to meet our stringent requirements. Contact your STEEL GRIP Representative or our office for specific material swatches and/or additional information on these materials.

Unless specified, materials/fabrics are listed by weight per square yard

TENCATE OASIS™ is a blend of 50% Lenzing/40% Wool/10% Nylon. The material is guaranteed flame resistant for the life of the garment. For exposure to minor sparks or splash and non-ferrous metal applications. Used in secondary protective clothing.

MATERIAL/FABRIC	ABBREV.	WEIGHT	DESCRIPTION	
TENCATE OASIS™	Cool Blue	CBOL	7.5 oz.	Shirts
TENCATE OASIS™	Navy Blue	NBOM	10 oz.	Tanned side split cowhide - leggings/aprons
TENCATE OASIS™	Orange	OROM	10 oz.	Coverall /pants/jackets

Westex by Milliken Ultra Soft® & Westex by Millikin Indura® - The Indura process is applied to a blend of 88% cotton/12% nylon for the Ultra Soft® finish. The Indura process is applied to a blend of 100% cotton for the whipcord finish. These materials are guaranteed flame resistant for the life of the garment. For exposure to minor sparks or splash and non-ferrous metal applications. Used in secondary protective clothing.

	Navy Blue	Khaki	Med Blue	Green	Orange	Colors Available
WESTEX™ UltraSoft®	NBU7	KU7	MBU7	—	—	7 oz. Shirts
WESTEX™ UltraSoft®	NBU9	KU9	—	GU9	OU9	9 oz. Coveralls/pants/jackets
WESTEX™ UltraSoft®	NBU	—	—	—	—	12 oz. Chaps
WESTEX™ Indura®	NBWP	—	—	WCP	OWCP	12 oz. Coveralls/pants/jackets/overalls

Stedfast-Stedair®

	Navy Blue	Red	Med Blue	Green	Orange	Colors Available
Stedfast-Stedair®	DMT	—	—	—	—	8 oz. Coveralls/shirts
Stedfast-Stedair®	—	RTL	—	—	—	8 oz. Coveralls/pants

NOMEX® IIIA - Du Pont aramid is inherently flame resistant, chemical and abrasion resistant. NOMEX® IIIA garments afford lightweight comfortable protection. For exposure to minor spark applications or petro-chemical exposures. Used in secondary protective clothing.

NOMEX® IIIA	Navy Blue	NBNX	6 oz.	Coverall/pants/jackets
QUILTED NOMEX® IIIA LINER		Q9	9 oz.	Lining - high heat clothing

WOOLS - A natural insulator, naturally flame resistant and a breathable fabric.

ZIRPRO®	Orange	ZW	26 oz.	100% virgin wool. Protects against molten
MELTON WOOL	Navy Blue	W32	32 oz.	Excellent thermal protection Du Pont® X-12 flame resistant treatment - coats/pants/vests
WOOL	Grey	OD	17 oz.	Thermal protection for coats and linings

LININGS - INSULATION FABRICS *Below LINING OPTIONS are listed by weight per SQUARE YARD*

NOMEX® FELT	PNX	8 oz.	Needle punch Aramid FR for garment lining
WOOL/COTTON KNIT	F	11 oz.	Good insulation, dissipates heat - gloves/mitts/linings
WOOL/COTTON KNIT	W	14 oz.	Heavyweight insulation - gloves/mitts/lining

100% COTTON DUCK is non-durable flame resistant - CANNOT be laundered.

DUCK - CANVAS	DF10	10 oz.	Aprons/chaps/leggings
DUCK - HEAVYWEIGHT	DF14	14 oz.	Aprons/chaps/leggings

NYLONS - Lightweight - cut resistant fabric (NOT for high heat)

NYLON - SEAM BINDING	White	NS	9.5 oz.	Aprons/gowns
NYLON - CANE (Level 2 Cut Rating)		CN = White Mesh BCN = Black Mesh		Arm guards/sleeves
NYLON - BALLISTIC		B14	14 oz.	Special woven, soft, flexible, but cut resistant, used in linings for aprons/chainsaw chaps
NYLON - PACK CLOTH (Urethane coated)		OPC = Orange GPC = Green		420 Denier, used in chainsaw chaps 1000 Denier, used in snake bite leggings
VINYL - DURA-PRO		DP		Yellow vinyl coated nylon, flame, chemical and moisture resistant - for respirator & utility bags

